
LR4-60HPH 350~380M









Complete System and Product Certifications

IEC 61215, IEC61730, UL61730

ISO 9001:2008: ISO Quality Management System

ISO 14001: 2004: ISO Environment Management System

TS62941: Guideline for module design qualification and type approval OHSAS 18001: 2007 Occupational Health and Safety







* Specifications subject to technical changes and tests. LONGi Solar reserves the right of interpretation.

Positive power tolerance (0 ~ +5W) guaranteed

High module conversion efficiency (up to 20.9%)

Slower power degradation enabled by Low LID Mono PERC technology: first year <2%, 0.55% year 2-25

Solid PID resistance ensured by solar cell process optimization and careful module BOM selection

Reduced resistive loss with lower operating current

Higher energy yield with lower operating temperature

Reduced hot spot risk with optimized electrical design and lower operating current




Room 801, Tower 3, Lujiazui Financial Plaza, No.826 Century Avenue, Pudong Shanghai, 200120, China Tel: +86-21-80162606 E-mail: module@longi-silicon.com Facebook: www.facebook.com/LONGi Solar

Note: Due to continuous technical innovation, R&D and improvement, technical data above mentioned may be of modification accordingly. LONGi have the sole right to make such modification at anytime without further notice; Demanding party shall request for the latest datasheet for such as contract need, and make it a consisting and binding part of lawful documentation duly signed by both parties

LR4-60HPH **350~380M**

Design (mm) Mechanical Parameters Operating Parameters



Junction Box: IP68, three diodes
Output Cable: 4mm², 1200mm in length
for EU DG

Glass: Single glass

Cell Orientation: 120 (6×20)

3.2mm coated tempered glass

Frame: Anodized aluminum alloy frame

Weight: 19.5kg

Dimension: 1755×1038×35mm

Packaging: 30pcs per pallet

180pcs per 20'GP

780pcs per 40'HC

Operational Temperature: -40 $^{\circ}$ C $^{\circ}$ +85 $^{\circ}$ C Power Output Tolerance: 0 $^{\circ}$ +5 $^{\circ}$ W Voc and Isc Tolerance: $\pm 3\%$

Maximum System Voltage: DC1500V (IEC/UL)

Maximum Series Fuse Rating: 20A

Nominal Operating Cell Temperature: $45\pm2\,^{\circ}\mathrm{C}$

Safety Class: Class II $\label{eq:lass:lass} Fire \ Rating: \ \ UL \ type \ 1 \ or \ 2$

												'			
Model Number	LR4-60HI	PH-350M	LR4-60H	PH-355M	LR4-60H	PH-360M	LR4-60H	PH-365M	LR4-60H	PH-370M	LR4-60HI	PH-375M	LR4-60HF	PH-380N	
Testing Condition	STC	NOCT	STC	NOCT	STC	NOCT	STC	NOCT	STC	NOCT	STC	NOCT	STC	NOCT	
Maximum Power (Pmax/W)	350	259.3	355	263.0	360	266.7	365	270.4	370	274.1	375	277.8	380	281.5	
Open Circuit Voltage (Voc/V)	40.1	37.4	40.3	37.6	40.5	37.8	40.7	38.0	40.9	38.2	41.1	38.4	41.3	38.5	
Short Circuit Current (Isc/A)	11.15	9.00	11.25	9.07	11.35	9.15	11.43	9.22	11.52	9.29	11.60	9.35	11.69	9.42	
Voltage at Maximum Power (Vmp/V)	33.6	31.0	33.8	31.2	34.0	31.4	34.2	31.6	34.4	31.8	34.6	32.0	34.8	32.1	
Current at Maximum Power (Imp/A)	10.42	8.35	10.51	8.43	10.59	8.49	10.68	8.56	10.76	8.63	10.84	8.69	10.92	8.76	
Module Efficiency(%)	19	19.2		19.5		19.8		20.0		20.3		20.6		20.9	


STC (Standard Testing Conditions): Irradiance 1000W/m², Cell Temperature 25 °C, Spectra at AM1.5

 $NOCT \ (Nominal\ Operating\ Cell\ Temperature): Irradiance\ 800W/m^2, Ambient\ Temperature\ 20\ C\ , Spectra\ at\ AM1.5,\ Wind\ at\ 1m/S$


Temperature Ratings (STC) Mechanical Loading Temperature Coefficient of Isc +0.048%/C Front Side Maximum Static Loading 5400Pa Temperature Coefficient of Voc -0.270%/C Rear Side Maximum Static Loading 2400Pa Temperature Coefficient of Pmax -0.350%/C Hailstone Test 25mm Hailstone at the speed of 23m/s

I-V Curve


Current-Voltage Curve (LR4-60HPH-365M)



Power-Voltage Curve (LR4-60HPH-365M)



Current-Voltage Curve (LR4-60HPH-365M)





Note: Due to continuous technical innovation, R&D and improvement, technical data above mentioned may be of modification accordingly. LONGi have the sole right to make such modification at anytime without further notice; Demanding party shall request for the latest datasheet for such as contract need, and make it a consisting and binding part of lawful documentation duly signed by both parties.